

Policy Name	Clinical Policy – Medically Necessary Contact Lenses
Policy Number	1309.00
Department	Clinical Product & Strategy
Subcategory	Medical Management
Initial Approval Date	02/06/2018
Current MPC/CCO Approval Date	07/25/2023
Current Effective Date	01/01/2024

Company Entities Supported (Select All that Apply):
 Superior Vision Benefit Management
 Superior Vision Services
 Superior Vision of New Jersey, Inc.
 Block Vision of Texas, Inc. d/b/a Superior Vision of Texas
 Davis Vision
 (Collectively referred to as 'Versant Health' or 'the Company')

ACRONYMS or DEFINITIONS

n/a	
-----	--

PURPOSE

To provide the medical necessity criteria for contact lenses. Applicable procedure and material codes for medically necessary contact lenses are also defined.

POLICY

A. Background

Medically necessary contact lenses are contact lenses that are needed to correct reduced vision due to specific eye conditions as described below.

B. Medically Necessary

1. Contact lenses and contact lens fittings may be medically necessary for the following conditions and related clinical findings when spectacle lenses are not able to correct or improve a visual defect.
 - a. Keratoconus and related corneal ectasias with the following clinical findings:
 - i. Corneal topography documenting inferior steepening; or,
 - ii. Keratometry readings with irregular distorted mires and steepening.
 - iii. For unstable keratoconus¹, documentation must reflect progression over the previous 12 months as follows:
 - 1) Progression of maximum keratometry (Kmax) >1.0 D, as measured via keratometry or demonstrated on corneal topography; or,
 - 2) A change in refraction of >1.0 D in spherical equivalent; or,
 - 3) A change in astigmatism of >1.0 D.
 - b. Irregular astigmatism demonstrated on corneal topography.
 - c. High ametropia, including high myopia, high hypermetropia, or regular astigmatism, with the clinical finding that eyeglass prescription is equal to or greater than 8 diopters of ametropia in any meridian.
 - d. Anisometropia, with the clinical finding of 3 or more diopters difference in prescription between the right and left eyes in any meridian.
 - e. Aphakia
 - f. Aniridia, coloboma of the iris, tonic iris or congenital malformation of the iris
 - g. Thygeson's superficial punctate keratitis with the following clinical findings:²
 - i. Persistent punctate keratitis; and,
 - ii. Failure to respond to topical corticosteroids and cyclosporine; or,
 - iii. Documented contraindication or intolerance to a trial of corticosteroids or cyclosporine.
2. Scleral lenses and associated contact lens fitting may be considered medically necessary for the treatment of the conditions listed above in (1.) that meets each condition's explicit criteria, moderate to severe dry eye and related conditions (e.g., Sicca syndrome, Sjogren's Syndrome), and neurotrophic keratoconjunctivitis³ with the following findings:

Failure to respond or comply to a comprehensive trial of therapies that includes:

 - i. Non-preserved artificial tears, and,
 - ii. Non-corticosteroid immunomodulatory agents (e.g., cyclosporine); or,
 - iii. LFA-1 antagonists (e.g., lifitegrast); or,
 - iv. Topical secretagogue's; or,
 - v. Oral macrolide and/or tetracycline antibiotics.

¹ Tian, 2022

² Forstot, 1979

³ Vilares 2023

3. Hydrophilic soft (bandage) contact lenses are therapeutic bandages and are not addressed by this policy.

C. Documentation

Reimbursement must be supported by adequate and complete documentation in the patient's medical record that describes the procedure and the medical rationale. All items must be available upon request to initiate or sustain previous payments. For retrospective reviews the full operative report and medical care plan are required.

Every page of the record must be legible and include appropriate patient identification information (e.g., complete name, date(s) of service). Services provided/ordered must be authenticated by the physician; stamped signatures are not acceptable.

D. Procedural Detail

CPT Codes	
92071	Fitting of contact lens for treatment of ocular surface disease
92072	Fitting of contact lens for management of keratoconus, initial fitting
92310	Prescription of optical and physical characteristics of and fitting of contact lens, with medical supervision of adaptation; corneal lens, both eyes, except for aphakia
92311	Prescription of optical and physical characteristics of and fitting of contact lens, with medical supervision of adaptation; corneal lens for aphakia, 1 eye
92312	Prescription of optical and physical characteristics of and fitting of contact lens, with medical supervision of adaptation; corneal lens for aphakia, both eyes
92313	Prescription of optical and physical characteristics of and fitting of contact lens, with medical supervision of adaptation; corneoscleral lens
92314	Prescription of optical and physical characteristics of contact lens, with medical supervision of adaptation and direction of fitting by independent technician; corneal lens, both eyes except for aphakia
92315	Prescription of optical and physical characteristics of contact lens, with medical supervision of adaptation and direction of fitting by independent technician; corneal lens for aphakia, 1 eye
92316	Prescription of optical and physical characteristics of contact lens, with medical supervision of adaptation and direction of fitting by independent technician; corneal lens for aphakia, both eyes

92317	Prescription of optical and physical characteristics of contact lens, with medical supervision of adaptation and direction of fitting by independent technician; corneoscleral lens
92325	Modification of contact lens (separate procedure), with medical supervision of adaptation
92326	Replacement of contact lens
HCPCS CODES	
S0512	Daily wear specialty contact lens, per lens
S0514	Color contact lens, per lens
S0515	Scleral lens, liquid bandage device, per lens
S0592	Comprehensive contact lens evaluation
V2500	Contact lens, PMMA, spherical, per lens
V2501	Contact lens, PMMA, toric or prism ballast, per lens
V2502	Contact lens PMMA, bifocal, per lens
V2503	Contact lens, PMMA, color vision deficiency, per lens
V2510	Contact lens, gas permeable, spherical, per lens
V2511	Contact lens, gas permeable, toric, prism ballast, per lens
V2512	Contact lens, gas permeable, bifocal, per lens
V2513	Contact lens, gas permeable, extended wear, per lens
V2520	Contact lens, hydrophilic, spherical, per lens
V2521	Contact lens, hydrophilic, toric, or prism ballast, per lens
V2522	Contact lens, hydrophilic, bifocal, per lens
V2523	Contact lens, hydrophilic, extended wear, per lens
V2524	Contact lens, hydrophilic, spherical, photochromic additive, per lens
V2525	Contact lens, hydrophilic, dual focus, per lens
V2530	Contact lens, scleral, gas impermeable, per lens (for contact lens modification, see 92325)
V2531	Contact lens, scleral, gas permeable, per lens (for contact lens modification, see 92325)

V2599	Contact lens, other type
--------------	--------------------------

C. DISCLAIMER and COPYRIGHTS

This policy is provided for information purposes only and does not constitute medical advice. Versant Health, Inc., and its affiliates (the “Company”) do not provide health care services and cannot guarantee any results or outcomes. Treating doctors are solely responsible for determining what services or treatments to provide to their patients. Patients (members) should always consult their doctor before making any decisions about medical care.

Subject to applicable law, compliance with this clinical policy is not a guarantee of coverage or payment. Coverage is based on the terms of an individual’s particular benefit plan document, which may not cover the service(s) or procedure(s) addressed in this clinical policy. The terms of the individual’s specific benefit plan are always determinative. Every effort has been made to ensure that the information in this clinical policy is accurate and complete, however the Company does not guarantee that there are no errors in this policy or that the display of this file on a website is without error. The Company and its employees are not liable for any errors, omissions, or other inaccuracies in the information, product, or processes disclosed herein. Neither the Company nor the employees represent that use of such information, products, or processes will infringe on privately owned rights. In no event shall the Company be liable for direct, indirect, special, incidental, or consequential damages arising out of the use of such information, product, or process.

COMPANY’S COPYRIGHT STATEMENT

Except for any copyrights described below, this clinical policy is confidential and proprietary, and no part of this clinical policy may be copied without Versant Health, or its applicable affiliates expressing prior written approval.

AMA COPYRIGHT STATEMENT

CPT© 2002-2023 is the copyright of the American Medical Association. All Rights Reserved. CPT™ is a registered trademark of the American Medical Association. Applicable FARS/DFARS Apply to Government Use. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

RELATED POLICIES	
1316	Eye Exams
1328	Keratoconus and Related Corneal Ectasias

DOCUMENT HISTORY		
<i>Approval Date</i>	<i>Revision</i>	<i>Effective Date</i>
02/06/2018	Initial Policy	02/06/2018

10/18/2019	Clarified indication of high ametropia, regardless of best corrected visual acuity; clarified irregular astigmatism, with measurement of 2.00 diopters of astigmatism in either eye	01/01/2020
10/18/2019	Administrative correction to documentation requirements 02/11/2020.	01/01/2020
06/03/2020	Criteria changes to all sections.	09/01/2020
04/07/2021	Criteria for high ametropia metrics restated as applying to any meridian rather than spherical equivalent.	09/01/2021
10/06/2021	Added new indication, (Thygeson's Superficial Punctate Keratitis) for extended wear contact lenses. Revised criteria for Keratoconus and related corneal ectasias to be standalone ("or") instead of combined ("and").	04/01/2022 (superseded)
01/05/2022	Removed requirements for greater than 2.5 diopters of keratometric astigmatism; reorganized policy by procedural codes; deleted diagnoses codes within body of policy.	04/01/2022
07/06/2022	Criteria changes: add disease specific criteria; delete criteria and HCPCS tables for materials and fittings; add CPT codes for hydrophilic lenses.	01/01/2023
7/12/2023	Add myopia and other vision indications when spectacles are unable to correct vision; add to indication of irregular astigmatism the requirement for measurement via keratometry or corneal topography; define unstable keratoconus with progressive measures; simplified scleral lens requirements.	01/01/2024
07/25/2023	2 nd review and approval by MPC required. Deleted requirement of 2 D or more for irregular astigmatism.	01/01/2024

REFERENCES and SOURCES

1. Asimellis G, Kaufman EJ. Keratoconus. 2020 Aug 13. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2020 Jan-. PMID: 29262160.
2. Aslan MG, Findik H, Okutucu M, et.al. The impact of hybrid contact lenses on keratoconus

- progression after accelerated transepithelial corneal cross-linking. *Int Ophthalmol*. 2020 Aug 27. doi: 10.1007/s10792-020-01551-w. Epub ahead of print. PMID: 32856196.
3. Bullimore MA, Johnson LA. Overnight orthokeratology. *Cont Lens Anterior Eye*. 2020 Aug;43(4):322-332. doi: 10.1016/j.clae.2020.03.018. Epub 2020 Apr 22. PMID: 32331970.
 4. Bullimore MA. The Safety of Soft Contact Lenses in Children. *Optom Vis Sci*. 2017;94(6):638–646. doi:10.1097/OPX.0000000000001078.
 5. Cooper J, Tkatchenko AV. A Review of Current Concepts of the Etiology and Treatment of Myopia. *Eye Contact Lens*. 2018;44(4):231–247. doi:10.1097/ICL.0000000000000499.
 6. de Luis Eguileor B, Acera A, Santamaría Carro A, et.al. Changes in the corneal thickness and limbus after 1 year of scleral contact lens use. *Eye (Lond)*. 2020 Sep;34(9):1654-1661. doi: 10.1038/s41433-019-0729-z. Epub 2019 Dec 10. PMID: 31822857; PMCID: PMC7608222.
 7. Downie LE, Lindsay RG. Contact lens management of keratoconus. *Clin Exp Optom*. 2015;98(4):299–311. doi:10.1111/cxo.12300.
 8. Dragea DC, Birbal RS, Ham L, et al. Bowman layer transplantation in the treatment of keratoconus. *Eye Vis (Lond)*. 2018; 5:24. Published 2018 Sep 12. doi:10.1186/s40662-018-0117-y.
 9. Forstot SL, Binder PS. Treatment of Thygeson's superficial punctate keratopathy with soft contact lenses. *Am J Ophthalmol*. 1979 Aug;88(2):186-9. doi: 10.1016/0002-9394(79)90464-1. PMID: 474689.
 10. Gu T, Du B, Bi H, et al. Meibomian Gland Dropout, not Distortion, Can Distinguish Dry Eyes from Normal Eyes in Contact Lens Wearers. *Curr Eye Res*. 2020 Aug;45(8):897-903. doi: 10.1080/02713683.2020.1731829. Epub 2020 Mar 2. PMID: 32066267
 11. Guzman-Aranguez A, Fonseca B, Carracedo G, et.al. Dry Eye Treatment Based on Contact Lens Drug Delivery: A Review. *Eye Contact Lens*. 2016;42(5):280–288. doi:10.1097/ICL.0000000000000184.
 12. Hashemi H, Heidari Z, Mohammadpour M, et.al. Distribution Pattern of Total Corneal Thickness in Keratoconus versus Normal Eyes Using an Optical Coherence Tomography. *J Curr Ophthalmol*. 2022 Jul 26;34(2):216-222. doi: 10.4103/joco.joco_198_21. PMID: 36147258; PMCID: PMC9487006.
 13. Hui A. Contact lenses for ophthalmic drug delivery. *Clin Exp Optom*. 2017;100(5):494–512. doi:10.1111/cxo.12592.
 14. Ihnatko R, Eden U, Fagerholm P, et.al. Congenital Aniridia and the Ocular Surface. *Ocul Surf*. 2016;14(2):196–206. doi: 10.1016/j.jtos.2015.10.003
 15. Jiang N, Montelongo Y, Butt H, et.al. Microfluidic Contact Lenses. *Small*. 2018;14(15): e1704363. doi:10.1002/smll.201704363.
 16. Kaluzny BJ, Stachura J, Mlyniuk P, et.al. Change in the geometry of positive- and negative-powered soft contact lenses during wear. *PLoS One*. 2020 Nov 9;15(11): e0242095. doi: 10.1371/journal.pone.0242095. PMID: 33166364; PMCID: PMC7652269.
 17. Koppen C, Kreps EO, Anthonissen L, et.al. Scleral Lenses Reduce the Need for Corneal Transplants in Severe Keratoconus. *Am J Ophthalmol*. 2018 Jan; 185:43-47. doi: 10.1016/j.ajo.2017.10.022. Epub 2017 Nov 16. PMID: 29103959.
 18. Kumar B, Chandler HL, Plageman T, et.al. Lens Stretching Modulates Lens Epithelial Cell Proliferation via YAP Regulation. *Invest Ophthalmol Vis Sci*. 2019 Sep 3;60(12):3920-3929. doi: 10.1167/iovs.19-26893. PMID: 31546253; PMCID: PMC7043215.
 19. Lambert SR, Aakalu VK, Hutchinson AK, et al. Intraocular Lens Implantation during Early Childhood: A Report by the American Academy of Ophthalmology. *Ophthalmology*. 2019;126(10):1454–1461. doi: 10.1016/j.ophtha.2019.05.009.
 20. Li SM, Kang MT, Wu SS, et.al. Studies using concentric ring bifocal and peripheral add multifocal contact lenses to slow myopia progression in school-aged children: a meta-analysis. *Ophthalmic Physiol Opt*. 2017;37(1):51–59. doi:10.1111/opo.12332.
 20. Lim L, Lim EWL. Current perspectives in the management of keratoconus with contact

- lenses. *Eye (Lond)*. 2020 Dec;34(12):2175-2196. doi: 10.1038/s41433-020-1065-z. Epub 2020 Jul 8. PMID: 32641797; PMCID: PMC7784906.
21. Lim L, Lim EWL. Current perspectives in the management of keratoconus with contact lenses. *Eye (Lond)*. 2020 Dec;34(12):2175-2196. doi: 10.1038/s41433-020-1065-z. Epub 2020 Jul 8. PMID: 32641797; PMCID: PMC7784906.
 22. Ling JJ, Mian SI, Stein JD, et al. Impact of Scleral Contact Lens Use on the Rate of Corneal Transplantation for Keratoconus. *Cornea*. 2021 Jan;40(1):39-42. doi: 10.1097/ICO.0000000000002388. PMID: 32452985; PMCID: PMC7686092.
 23. Lipson MJ, Curcio LR. Fitting of Orthokeratology in the United States: A Survey of the Current State of Orthokeratology. *Optom Vis Sci*. 2022 Jul 1;99(7):568-579. doi: 10.1097/OPX.0000000000001911. Epub 2022 Jun 3. PMID: 35657355.
 24. McNeill S, Bobier WR. The correction of static and dynamic aniseikonia with spectacles and contact lenses. *Clin Exp Optom*. 2017;100(6):732–734. doi:10.1111/[cxo.12516](https://doi.org/10.1111/cxo.12516).
 25. Moshirfar M, Heiland MB, Rosen DB, et.al. Keratoconus Screening in Elementary School Children. *Ophthalmol Ther*. 2019 Sep;8(3):367-371. doi: 10.1007/s40123-019-0199-1. Epub 2019 Jul 18. PMID: 31321736; PMCID: PMC6692425.
 26. Nagra PK, Rapuano CJ, Cohen EJ, et. al Thygeson's Superficial Punctate Keratitis, *Ophthalmology* 2004; 111:34-37.
 27. Nilagiri VK, Metlapally S, Kalaiselvan P, et.al. LogMAR and Stereoacuity in Keratoconus Corrected with Spectacles and Rigid Gas-permeable Contact Lenses. *Optom Vis Sci*. 2018 Apr;95(4):391-398. doi: 10.1097/OPX.0000000000001205. PMID: 29554011; PMCID: PMC5968352.
 28. Porcar E, Montalt JC, España-Gregori E, et.al. Corneo-scleral contact lenses in an uncommon case of keratoconus with high hyperopia and astigmatism. *Cont Lens Anterior Eye*. 2017 Oct;40(5):351-356. doi: 10.1016/j.clae.2017.07.004. Epub 2017 Jul 13. PMID: 28712891.
 29. Prousalis E, Haidich AB, Fontalis A, et.al. Efficacy and safety of interventions to control myopia progression in children: an overview of systematic reviews and meta-analyses. *BMC Ophthalmol*. 2019 May 9;19(1):106. doi: 10.1186/s12886-019-1112-3. PMID: 31072389; PMCID: PMC6506938.
 30. 9;19(1):106. doi: 10.1186/s12886-019-1112-3. PMID: 31072389; PMCID: PMC6506938.
 31. Rathi VM, Mandathara PS, Dumpati S. Contact lens in keratoconus. *Indian J Ophthalmol*. 2013 Aug;61(8):410-5. doi: 10.4103/0301-4738.116066. PMID: 23925325; PMCID: PMC3775075.
 32. Remón L, Pérez-Merino P, Macedo-de-Araújo RJ, et.al. Bifocal and Multifocal Contact Lenses for Presbyopia and Myopia Control. *J Ophthalmol*. 2020 Mar 27; 2020:8067657. doi: 10.1155/2020/8067657. PMID: 32318285; PMCID: PMC7152962.
 33. Ruiz-Pomeda A, Villa-Collar C. Slowing the Progression of Myopia in Children with the MiSight Contact Lens: A Narrative Review of the Evidence. *Ophthalmol Ther*. 2020 Dec;9(4):783-795. doi: 10.1007/s40123-020-00298-y. Epub 2020 Sep 11. PMID: 32915454; PMCID: PMC7708530.
 34. Sankaridurg P. Contact lenses to slow progression of myopia. *Clin Exp Optom*. 2017;100(5):432–437. doi:10.1111/[cxo.12584](https://doi.org/10.1111/cxo.12584).
 35. Saraç Ö, Kars ME, Temel B, et.al. Clinical evaluation of different types of contact lenses in keratoconus management. *Cont Lens Anterior Eye*. 2019 Oct;42(5):482-486. doi: 10.1016/j.clae.2019.02.013. Epub 2019 Feb 23. PMID: 30808595.
 36. Sauer A, Greth M, Letsch J, et.al. Contact Lenses and Infectious Keratitis: From a Case-Control Study to a Computation of the Risk for Wearers. *Cornea*. 2020 Jun;39(6):769-774. doi: 10.1097/ICO.0000000000002248. PMID: 31990844.
 37. Shetty R, Kaweri L, Pahuja N, et.al. Current review and a simplified "five-point management algorithm" for keratoconus. *Indian J Ophthalmol*. 2015 Jan;63(1):46-53. doi:

- 10.4103/03014738.151468. PMID: 25686063; PMCID: PMC4363958.
38. Shi WY, Gao H, Li Y. [Standardizing the clinical diagnosis and treatment of keratoconus in China]. *Zhonghua Yan Ke Za Zhi*. 2019 Jun 11;55(6):401-404. Chinese. doi: 10.3760/cma.j.issn.0412-4081.2019.06.001. PMID: 31189269.
 39. Smith EL, Hung LF, Arumugam B, et.al. Observations on the relationship between anisometropia, amblyopia and strabismus. *Vision Res*. 2017; 134:26–42. doi: 10.1016/j.visres.2017.03.004.
 40. South J, Gao T, Collins A, et.al. Aniseikonia and Anisometropia: implications for suppression and amblyopia. *Clin Exp Optom*. 2019;102(6):556–565. doi:10.1111/cxo.12881.
 41. Tang M, Li Y, Chamberlain W, et.al. Differentiating Keratoconus and Corneal Warpage by Analyzing Focal Change Patterns in Corneal Topography, Pachymetry, and Epithelial Thickness Maps. *Invest Ophthalmol Vis Sci*. 2016;57(9): OCT544–OCT549. doi:10.1167/iovs.15-18938
 42. Tay SA, Farzavandi S, Tan D. Interventions to Reduce Myopia Progression in Children. *Strabismus*. 2017 Mar;25(1):23-32. doi: 10.1080/09273972.2016.1276940. Epub 2017 Feb 6; PMID: 28166436.
 76. Thulasi P, Djalilian AR. Update in Current Diagnostics and Therapeutics of Dry Eye Disease. *Ophthalmology*. 2017;124(11S): S27–S33. doi: 10.1016/j.optha.2017.07.022.
 77. Tian M, Jian W, Zhang X, Sun L, Shen Y, Zhou X. Predictive factors of the accelerated transepithelial corneal cross-linking outcomes in keratoconus. *BMC Ophthalmol*. 2022 Jan 3;22(1):7. doi: 10.1186/s12886-021-02235-4. PMID: 34980018; PMCID: PMC8725418.
 78. Tilia D, Diec J, Ehrmann K, et al. Visual Performance and Binocular/Accommodative Function of S.T.O.P. Contact Lenses Compared with MiSight. *Eye Contact Lens*. 2023 Feb 1;49(2):63-70. doi: 10.1097/ICL.0000000000000950. Epub 2022 Oct 19. PMID: 36282205; PMCID: PMC9875283.
 79. Vaidyanathan U, Hopping GC, Liu HY, et.al. Persistent Corneal Epithelial Defects: A Review Article. *Med Hypothesis Discov Innov Ophthalmol*. 2019 Fall;8(3):163-176. PMID: 31598519; PMCID: PMC6778469.
 80. Vaidyanathan U, Hopping GC, Liu HY, Somani AN, Ronquillo YC, Hoopes PC, Moshirfar M. Persistent Corneal Epithelial Defects: A Review Article. *Med Hypothesis Discov Innov Ophthalmol*. 2019 Fall;8(3):163-176. PMID: 31598519; PMCID: PMC6778469.
 81. Vilares Morgado R, Moura R, Moreira R, Falcão-Reis F, Pinheiro-Costa J. New Promising Therapeutic Approach for Refractory Corneal Epithelial Defects. *Cureus*. 2023 May 22;15(5): e39324. doi: 10.7759/cureus.39324. PMID: 37351246; PMCID: PMC10283014.
 82. Vincent SJ. The use of contact lenses in low vision rehabilitation: optical and therapeutic applications. *Clin Exp Optom*. 2017;100(5):513–521. doi:10.1111/cxo.12562.
 83. Watson SL, Leung V. Interventions for recurrent corneal [erosion](#). *Cochrane Database Syst Rev*. 2018;7(7):CD001861. Published 2018 Jul 9. doi: 10.1002/14651858.CD001861.pub4.
 84. Weissbart SB, Ayres BD. Management of aniridia and iris defects: an update on iris prosthesis options. *Curr Opin Ophthalmol*. 2016 May;27(3):244-9. doi: 10.1097/ICU.0000000000000253. PMID: 26871656.
 85. Yip H, Chan E. Optical coherence tomography imaging in keratoconus. *Clin Exp Optom*. 2019 May;102(3):218-223. doi: 10.1111/cxo.12874. Epub 2019 Feb 22. PMID: 30793800.
 86. Zhu Q, Liu Y, Tighe S, et al. Retardation of Myopia Progression by Multifocal Soft Contact Lenses. *Int J Med Sci*. 2019;16(2):198–202. Published 2019 Jan 1. doi:10.7150/ijms.30118.

SOURCES

1. American Academy of Ophthalmology - Preferred Practice Pattern, AAO PPP Cornea/External Disease Panel, Hoskins Center for Quality Eye Care. Cornea/External

- Disease Summary Benchmarks – 2022. <https://www.aao.org/education/summary-benchmark-detail/cornea-external-disease-summary-benchmarks-2020>. Accessed 7/2023.
2. American Academy of Ophthalmology - Preferred Practice Pattern, AAO PPP Cornea/External Disease Panel, Hoskins Center for Quality Eye Care. Cornea/External Disease Summary Benchmarks – 2022. <https://www.aao.org/education/summary-benchmark-detail/cornea-external-disease-summary-benchmarks-2020>. Accessed 7/2023.
 3. American Academy of Ophthalmology - Preferred Practice Pattern, Corneal Edema and Opacification. November 2018. American Academy of Ophthalmology - Preferred Practice Pattern-Dry Eye Syndrome, 2019. <https://pubmed.ncbi.nlm.nih.gov/30366795/>. Accessed 7/2023.
 4. American Academy of Ophthalmology. Preferred Practice Pattern. Corneal Ectasia. November 2018. <https://www.aao.org/education/preferred-practice-pattern/corneal-ectasia-ppp-2018>. Accessed 7/2023.
American Optometric Association. Clinical Practice Guideline. Care of the Patient with Hyperopia and Care of the Patient with Myopia. <https://www.aoa.org/AOA/Documents/Practice%20Management/Clinical%20Guidelines/Consensus-based%20guidelines/Care%20of%20Patient%20with%20Myopia.pdf>. Accessed 7/2023. Accessed August 30, 2019.
 5. American Optometric Association; Eye Care is Medical Care. White Paper. 2020. <https://www.aoa.org/AOA/Documents/doctor%20resources/Eye-care-is-medical-care.pdf>. Accessed 7/2023.
 6. American Optometric Association; The Outlook for Contact Lenses. January 2019. <https://www.aoa.org/news/clinical-eye-care/public-health/the-outlook-for-contact-lenses?ss0=y>. Accessed 7/2023.
 7. FDA Soft (Hydrophilic) Daily Wear Contact Lenses – Performance Criteria for Safety and Performance Based Pathway. <https://www.fda.gov/media/135629/download>. Accessed 5/2023.